

Digital Preservation of Cultural Heritage through Constructive Modeling

Carl Vilbrandt^(a), *Alexander Pasko*^(b), *Galina Pasko*^(c)
Janet R. Goodwin^(d), and *James M. Goodwin*^(e)

^(a) University of Aizu, Computer Arts Lab, Aizu-Wakamatsu, Japan

E-mail: vilb@u-aizu.ac.jp

^(b) Hosei University, Department of Digital Media, Tokyo, Japan

E-mail: pasko@k.hosei.ac.jp

^(c) IT Institute of Kanazawa Institute of Technology, Tokyo, Japan

E-mail: gip@tokyo.com

^(d) Director of the Aizu History Project, Los Angeles (CA), USA

E-mail: jan@pollux.csustan.edu

^(e) University of California Los Angeles, Department of Computer Science, Los Angeles (CA), USA

E-mail: jmg@cs.ucla.edu

ABSTRACT

The issues of digital preservation of shapes and internal structures of historical and cultural objects are discussed. An overview of existing approaches to computer modeling of shapes is presented and corresponding problems are considered. We propose a digital preservation paradigm quite different from the currently popular "scan and mesh" approach yielding visible surface models. Our approach is based on constructive modeling that reflects the logical structure of modeled shapes. Constructive Solid Geometry (CSG) and Function Representation (FRep) are examined and practically applied as mathematical representations which fit the purposes of long term digital preservation. Examples of CSG based reconstruction of historical temples and FRep based modeling of traditional lacquer ware are given.

KEYWORDS: constructive solid geometry, cultural heritage, digital preservation, function representation

INTRODUCTION

This paper will discuss the preservation of cultural heritage objects through the use of computer techniques. By *preservation* we mean not only the digital capture of existing objects and the reproduction of objects that have already been lost, but also the archiving of digital data into the foreseeable future. This is a particularly important issue in the realm of cultural heritage, since objects may be easily demolished, as the recent destruction of the Buddha-images in Afghanistan has powerfully demonstrated.

The preservation of cultural heritage has attracted considerable attention in computer graphics, geometric modeling, and virtual reality communities [1]. In

this paper, we demonstrate two methods of modeling cultural heritage objects. Our first method, which we have used to model buildings from both archaeological data and on-site measurements, reveals how the actual objects were constructed, rather than yielding only the visible surface models produced by the currently popular "scan and mesh" approach. Like most current methods of modeling, however, this approach relies on hardware and on proprietary software packages that may conceivably become obsolete and unusable even before the modeled objects themselves are destroyed. Accordingly, we next propose and demonstrate a new mathematically-based paradigm that avoids such pitfalls. Our paradigm is based on constructive modeling, which reflects the logical structure of the shapes reproduced. We illustrate this new method with models of traditional Japanese lacquer ware.

Scientific and other academic study demands rigorous proof concerning the accuracy of data gathering methods, research procedures, and digital processes that are used in a given project. These methods and procedures must be open to inspection and inquiry, and verifiable independent evaluation of the results of a given study should be performed if possible. Moreover, information must be disseminated and archived using an open and understandable data format and a stable storage medium that provides secure storage and retrieval, at a reasonable cost, for the near and distant future. Most digital information technology presently used in scientific and other academic studies does not meet these basic requirements. This paper presents several views of this problem and suggests possible solutions. The body

of the paper focuses on computer modeling issues of pivotal importance to the development and establishment of secure digital archives for cultural heritage preservation.

PROBLEMS IN COMPUTER MODELING

The following problems occur in some current computer modeling methods:

- Violation of well-established norms, such as the right hand rule with Z-axis up, is in conflict with scientific and engineering procedures.
- Data is not accurate enough to make models which are consistent at every level of detail.
- Proprietary data formats embedded in operating systems and hardware platforms make it difficult and illegal to access the data directly, thus making it impossible to verify the application's operations independently and difficult to translate or provide interoperability or migration across platforms. This snarled and secretive situation limits the life of the data.
- Proprietary methods and processes make it impossible to know how a given process works, what is accomplished, and whether or not the results are reproducible. It is self evident that unknowable and unverifiable procedures are unacceptable for archiving data.
- Data structures resulting from mathematical procedures used in most modeling software today are not only proprietary, but also inaccurate and poorly-defined. Therefore, the data structure prevents migration to future hardware and software upgrades.

Problems with traditional methods are not limited to the five described above. The first two problems concerning procedural norms and accuracy are

minor and are easily remedied in comparison to the others. Issues of proprietary and embedded procedures, mono-directional processing, loss of originating source data, loss of constructive primitives, and loss of the order of construction procedures are serious barriers to the creation of archival quality digital data.

Digital migration problems that occur when core processes are embedded in a given computer platform are being addressed by the abstraction of the core digital process to the level of a virtual machine, such as in the Java Virtual Machine (JVM). The proprietary problems that are key to archival issues concerning data processing and storage are also understood and well defined; they are being addressed by nonprofit groups such as GNU.org and sourceforge.org. Development of the Linux OS has also addressed these issues.

On the other hand, geometric digital modeling procedures and the fundamental mathematical base for shape modeling, volume rendering, and the mathematical modeling of multiple dimensions embedded in 3D modeling procedures are not well known or understood in the digital archiving community. These are core issues in the development and establishment of digital archives. Basic geometric modeling procedures, the retention of originating data attached to these procedures, and the retention of the order of constructive events and the modeling and embedding of physical dynamic attributes of 3D models for the creation of synthetic processes and simulations will change the way we look at digital data.

STATE OF COMPUTER MODELING

Most of the digital computer modeling tools used for historical and archaeological research and visualization produce data sets based on closed and proprietary source processes and data formats that have extremely short lifetimes for reasons cited above, thus making them unsuitable for archival purposes. The de facto standard commercial CAD and animation products should be rejected by their proprietary nature alone as procedurally unacceptable for scientific use. These de facto standard commercial products are restricted to the resources of a single computer using modeling procedures based on polygonal meshes and other boundary representations (see below) that have proven inadequate and inconsistent over the last twenty years. We are all intellectually impoverished, when commercial proprietary products and data formats are accepted and used in academic circles as de facto standard tools with little other choice. Below, we propose some methods to remedy this problem.

Boundary Representation and Constructive Solid Geometry

There are several different ways to represent solids digitally. Each representation has to provide determination of point membership: given any point it must be possible to determine whether it is inside, outside, or on the surface of a solid. In this section, we describe basic representational schemes: boundary representation and Constructive Solid Geometry. Formal definitions and more details on solids and solid representations can be found in [7, 10].

Boundary Representation. A solid can be represented by its boundary. To define a boundary surface one can

introduce points (vertices), curves (edges), and surface patches (faces), and stitch them together (Fig. 1 upper). This boundary representation (or BRep) has two parts (Fig. 1 lower): topological information of the connectivity of vertices, edges, and faces, and geometric information embedding these boundary elements in three-dimensional space. Topological information specifies incidences and adjacencies of boundary elements. Geometric information specifies coordinates of vertices or the equations of the surfaces containing the faces. The boundary of the solid is a two-dimensional manifold. Each point of the boundary has a neighborhood with one-to-one correspondence to a disk in the plane.




Figure 1: Boundary representation of a cube is based on surface faces (triangles and/or quadrangles), edges, and vertices.

A polyhedral solid is bounded by a set of planar polygons such that each edge connects two vertices and is shared by exactly two faces, at least three edges meet at each vertex, and faces do not interpenetrate. A simple polygon can be deformed into a sphere. The BRep of a simple polyhedron satisfies Euler's

formula:

$$V - E + F = 2,$$

where V is a number of vertices, E is a number of edges, and F is a number of faces. The BRep including faces with holes satisfies the generalized Euler's formula:

$$V - E + F - H = 2(C - G),$$

where H is a number of holes in the faces, C is a number of solid disjoint components, and G is a surface genus (for sphere $G = 0$, for torus $G = 1$). These rules can be used to verify validity of the obtained BRep models.

Local modifications of the boundary are performed using tweaking operations such as moving the vertex, edge, or face. Topological modifications are performed using Euler operators, which include adding and removing vertices, edges, and faces. These operators satisfy Euler's formula and thus ensure topological validity of the resulting solids.

From the practical modeling point of view, wire frame or BRep is used for visualization of CSG or FRep defined objects. Currently, most commercial modeling programs use BRep not only for visualization but also for mathematical definition of objects. Systems based on this approach are exceedingly complex and prone to error. The objects made in this manner may be aptly described as polygons with holes and should not be considered archival quality digital objects. In the practice of modeling with these systems, wire frame is convenient for finding the center of arcs and circles and thus

and centricity. The disadvantage of CSG is its limitation in geometrical representation; it is not suitable to produce organic shapes. Thus, though it performs well in its representation of most architecture, it would not do for sculpture.

IGES and STEP

IGES (Initial Graphics Exchange Standard) is the U. S. national standard for exchange of data between dissimilar CAD systems. Over the last twenty years, IGES has failed to include in its standards support for the translation and exchange of CSG 3D data, whose primitives and procedures are well defined and understood. On the other hand, STEP protocol (International Standard for the Exchange of Product Model Data, ISO 10303 standard) supports CSG, but this part of the protocol is quite rarely used nowadays.

FUNCTION REPRESENTATION OF SHAPES AND THE HYPERFUN MODELING LANGUAGE

The basic mathematical representation in digital preservation should serve several purposes. It should reflect the logic of the object's construction, support modeling of parametric families of shapes, support specific and extensible modeling operations, generate polygonal and other surface models, as well as voxelization, for visualization, animation and virtual objects presentation on the Web, and serve for direct control of rapid prototyping machines with the precision needed to reproduce the modeled objects. We propose to use so-called function representation (FRep) as our basic mathematical model [9]. FRep is a generalization of traditional implicit surfaces [5] and CSG. It represents an

object by a continuous function of three variables. A point belongs to the object if the function is positive at the point. The function is zero on the entire surface of the object and is negative at any point outside the object. The function can be easily parameterized to support modeling of a parametric family.

In FRep, an object is represented by a tree structure reflecting the logical structure of the object construction, where leaves are arbitrary "black box" primitives and nodes are arbitrary operations. Function evaluation procedures traverse the tree and evaluate the function value in any given point. Algebraic surfaces, skeleton-based implicit surfaces, convolution surfaces, procedural objects (such as solid noise), swept objects, and volumetric (voxel) objects can be used as primitives (leaves of the construction tree).

Many modeling operations are closed on the representation, i.e., generate as a result another continuous function defining the transformed object. These modeling operations are set-theoretic operations, blending, offsetting, non-linear deformations, metamorphosis, projection and others. A new operation can be included in the modeling system without changing its integrity by providing a corresponding function evaluation or space mapping procedure.

In FRep, there is no difference in processing soft objects, CSG solids, or volumetric objects. This allowed researchers to solve such long standing problems as metamorphosis between objects of different topology, sweeping by a moving solid, controlled blending

for all types of set-theoretic operations, collision detection and hypertexturing for arbitrary solids, and direct modeling of space-time and multidimensional objects.

The HyperFun language [2, 8] was introduced for teaching and practical use of FRep modeling. It is a minimalist programming language supporting all notions of FRep. The following tools are available for processing HyperFun models: a polygonizer that generates a polygonal mesh on the surface of the object and exports it in the VRML format; and a plug-in for the POV-Ray ray-tracer that helps to generate high-quality photorealistic images. Application software deals with HyperFun models through an interpreter, which evaluates the defining function at any given point.

FRep also naturally supports 4D (space-time) and multidimensional modeling using functions of several variables. We are investigating approaches and tools for further utilization of multidimensional models. The main idea is to provide a mapping of such objects to a multimedia space with such coordinates as 2D/3D world space coordinates, time, color, textures and other photometric coordinates, sounds, and others. Deeper connections between multimedia space and geometric multidimensional spaces should be investigated in the context of computer animation, computer art, and cultural heritage preservation applications.

HyperFun was also designed to serve as a lightweight protocol for exchanging FRep models among people, software systems, and networked computers. The average size of HyperFun files is 5K.

This allows for efficient implementation of a client-server modeling system in which a client can run simple interface tasks and generate HyperFun protocols to be sent to the server. The server site can be a powerful parallel computer or a computer cluster that performs time-consuming tasks such as ray-tracing, polygonization, or voxelization.

It is quite easy to learn and use HyperFun on the beginner's level. It does not require deep mathematical knowledge. High-school level geometry and common sense in constructing and using building blocks are enough to start modeling. The authors have had the experience of teaching HyperFun to first year university, high school and even junior high school students.

The open and simple textual format of HyperFun, its clearly defined mathematical basis, its support of constructive, parameterized and multidimensional models, its support by free modeling and visualization software, and its ease of use make it a good candidate as a tool for the digital preservation of cultural heritage objects.

CONSTRUCTIVE APPROACH IN CULTURAL HERITAGE PRESERVATION

We propose the use of FRep to create a synthetic CAD multidimensional modeling system. The system could have a hybrid character including CSG and FRep as primary representations and BRep and voxels as auxiliary ones. The multidimensional system would allow for not only the three-dimensional coordinates, but for additional variables such as time, density and all the other physical properties of an object. The proposed system would have a function representation construction tree and be

capable of accurately modeling not only the shape or volume of a given object and its physical attributes, but also the dynamic relationships between objects and object processes. The proposed synthetic CAD system defining a volume and describing mixed materials within that volume will allow for the support of 3D printing processes, which require a great deal of volumetric data that polygonal mesh systems cannot support.

HyperFun is a completely free and open source model specification and software, as will be the synthetic CAD modeling system that uses it. The proposed nonproprietary system will meet the basic tenets in the rigorous proof of operations required by scientific study. The proposed system's data would be abstracted and the constructive processes and procedures would be embedded within the digital data structure. These constructive processes would be bi-directional and verifiable and uniquely based on material-based procedural textures. Using this approach, the logic of hidden structural elements and the uniqueness of a historical object can be captured. The data resulting from the proposed system would have a lifetime suitable for long term archiving.

The proposed CSG and FRep based system is computationally intensive and will need to use clusters of networked computers. By comparison, present-day systems based on polygonal meshed data structures would be viewed much the same as paper data of the past. The proposed system for archiving applications steps beyond the indexing of simple and fragile paper based data structures of the past toward complex

robust and active data structures of the future.

CONSTRUCTIVE MODELING OF HISTORICAL BUILDINGS

Considering the experience of data loss, the authors specified CSG as the most likely data format for modeling historical architecture with any possibility of archival quality for the Aizu History Project [3]. All parts of the two historical buildings, the Golden Hall at Enchiji and Sazaedou, featured in this paper were created whenever possible with only CSG based entities. However, because CSG is limited in its range of shape representation and the overall size of the models was extremely large, the thatch roof of the Golden Hall and the double helix ramp inside Sazaedou had to be represented unsatisfactorily by a polygonal mesh. In using CSG, computational requirements dictated that sections of the model be developed in many separate files on four different PC based systems. There were significant problems in data creation and manipulation of sections of the buildings across separate files on different computers as the coordination was all manually done. When combining the files into one file, it is needless to say that this data overwhelmed even the fastest single system on several different platforms. Five years later, the entire model of Sazaedou cannot be handled easily at one time in present day animation and rendering systems. The efforts the authors experienced using CSG in commercial products on single computer systems with the hope of creating digital archival data seems wasted. It is doubtful that even this CSG constructed data will live through the next several decades because of the

proprietary nature of the commercial software and the unknown quality of the CSG database. It may take as much or more effort to extract the CSG data structure embedded in these proprietary programs as it would to reconstruct the buildings from original data.

The Enchiji Golden Hall

Enchiji, a Buddhist temple located at the foot of Mt. Bandai in the Aizu region of Japan, was the religious center of the region throughout much of the Heian period (794-1185), but no buildings or images from that period are extant today. In order to produce a model of Enchiji's main building, the Golden Hall that housed the temple's most important Buddha-images, the authors relied on archaeological data introduced in [4].




Figure 4: Structural view

The construction of the Golden Hall model was a difficult task. At present the only solid information is the existence of seven foundation stones for pillars, demarking the north and part of the east walls. A base of piled stones also stretches along the north and east walls, and remains of a retaining wall

abut the (surmised) southwest corner. This information has led archaeologists at the site to conclude that the building measured five bays from east to west and four or five from north to south. We have constructed the Golden Hall model as a five by four building (Figs. 4 and 5).




Figure 5: Normal view

In making decisions about the model, archaeological research aside, consistency with standard temple-building practice of the eighth and ninth centuries [6] and consideration for the Aizu climate and local historical conditions dictated following the advice of Yamagishi Seiji, a master *miya daiku* (shrine carpenter) and the scion of an 800-year carpentry tradition in this region.

Sazaedou

The benefits of using three-dimensional graphics techniques in constructing models are obvious. First of all, models can be manipulated to provide multiple viewpoints. Rotating a model can provide a better understanding of the physical relationships of the components of the actual structure, as well as the construction techniques involved. Moreover, three-dimensional

models can replicate the actual construction of the building itself, including features normally hidden to the eye, such as interior bracketing, and the model can be deconstructed to reveal such hidden features. Our work on another Aizu-region temple building illustrates these benefits.

Recently declared a National Important Cultural Property, Sazaedou, a pagoda built in 1796 in Aizu-Wakamatsu, is noted for its unique architectural feature, a double-helical interior walkway that takes visitors from the front entrance to the top of the structure, then over and down to the back entrance.

The double helical walkway is part of an interior tower (Figs. 6a, b and c). (For more details on the Sazaedou construction, including black and white reproductions of these figures and some others, see [11]. The drawings in Figs. 6c, 7c, 8c and 9a were adapted from engineering blueprints done in 1965 by Kobayashi Bunji.)




Figure 6c: Full drawing showing the location of the interior tower

The 3D CAD model can be used to display such components separately, so that the construction may be seen and understood. Even an actual visit to the site does not enable such views.




Figure 7a: Exterior tower with walls added - wire frame



Figure 7b: Model of exterior tower with walls - colored



Figure 6a: Interior tower with image alcoves - wire frame



Figure 6b: Interior tower - colored




Figure 7c: Full drawing showing the location of the exterior tower

The interior tower is housed in an exterior tower, with a separate support structure (Figs. 7a, b and c).



Figure 8a: The exterior tower overhang - wire frame



Figure 8b: The exterior tower overhang - colorized view



Figure 8c: Full drawing showing the location of the exterior overhang

The tower exterior shows helical overhangs protecting the windows from direct sunlight (Figs. 8a, b and c).




Figure 9a: Roof - engineering drawing




Figure 9b: Roof - wire frame 3D CAD model




Figure 9c: Roof - false color CAD Model




Figure 9d: Roof - Rendered 3D CAD model, from below

Fig. 9a is an engineering drawing of the roof shown from below. By using measurements from this drawing, and supplementing them with measurements taken on site, a 3D CAD model was constructed, and is displayed in the wire frame view (Fig. 9b) and the rendered views (Figs. 9c and d).

The entrance and its canopy are structures which can be better understood from the model (Figs. 10b, c, and d) than from a photograph (Fig. 10a) or even from a visit to the actual site, since they are complex objects and access and sightlines are restricted.



Figure 10a: Entrance canopy photograph



Figure 10b: Entrance canopy – wire frame CAD model




Figure 10c: Entrance canopy rendered




Figure 10d: Entrance canopy – alternate view

It is possible to select only one section from the single CAD model of the entire structure, and display it from multiple viewpoints and with various levels of detail (Figs. 11a, b and c).




Figure 11a: Wire frame of the base




Figure 11b: Colorized CAD model of the base




Figure 11c: Base – details of the supports

Because of the constructive approach, any part may be rendered without displaying the other components (Fig. 11d), and an external shell may be fully rendered (Fig. 11e).



Figure 11d: Rendered model showing helical structure



Figure 11e: Fully rendered view

The models above illustrate that these are virtual constructions using virtual lumber cut, positioned and joined according to the specifications of the *miya daiku*. This empirically shows the value of digital preservation of cultural heritage using constructive modeling.

VIRTUAL SHIKKI

Digital Preservation of Crafts Heritage

As subjects of computer-based preservation efforts, traditional crafts such as pottery, embroidery or lacquer ware require special treatment. First of all, any craft is a living tradition, not a fixed set of inherited items. At the center of the tradition are masters with knowledge of essential craft technology, which is often not presented in written form. While computers may be used to preserve this technology or even to enhance it, computer-based technology is sometimes considered not to support, but rather to rival traditional crafts, giving rise to psychological and economic conflicts. However, the decreasing number of masters, fading technologies, and economic difficulties for crafts and their practitioners validates the necessity of computer-based preservation. The production of traditional Japanese lacquer ware or *shikki* suffers from the problems mentioned above, as well as from additional economic pressure due to cheap production of plastic look-alikes. In this section, we demonstrate how computers can help to preserve traditional crafts such as *shikki* manufacture, using a practical example of FRep modeling, conversion to polygonal BRep, and Web presentation of *shikki* items.

Virtual *Shikki* Project

When making actual *shikki*, parts of an item are produced manually using thin pieces of wood, which are then assembled, painted in different colors, and covered by natural lacquer or *urushi*. There is a great variety of *shikki* items: boxes, small drawers, stands, cups, bowls, sake pots, chopsticks, notebooks, and even ball pens and

pencils. These items are quite different from one another in their topology, geometry, and texture.

The “Virtual *Shikki*” project includes the following research and development activities:

- Reconstruction of shapes and making of parametric families of models of representative *shikki* items. A parametric family of models allows us to generate samples of a specific model with different sizes, width/height ratios, and so on, without repeating the entire modeling process.
- Digitizing textures. There are technical problems of scanning colored textures from the surface of existing models.
- Producing 3D virtual objects and presenting them on the Internet. The Virtual Reality Modeling Language (VRML) is often selected for Web presentation of 3D virtual objects. However, VRML has well-known drawbacks such as huge data files and long downloading time. Other Web3D data formats and browsing tools should be considered. The purpose of our virtual *shikki* presentation on the Web is to allow people to appreciate the beauty of shapes and textures from a remote location. This is important from both cultural and commercial points of view.
- Producing animations and other multimedia presentations of traditional and virtual lacquer ware. The basic mathematical representation of 3D models should allow easy transformations and metamorphosis of shapes, thus enabling effective animation.

Implementation Issues

The process of modeling *shikki* shapes included the selection of representative

items, the measurement of the coordinates of control points, the introduction of the basic logical structure of the model (primitives and operations), the description of the parameterized constructive model using the HyperFun language (see above), visualization using ray-tracing and polygonization, comparison of the obtained shape and control points with those of the original, modification of the construction, and selection of parameters of the model.

Some additional specific operations--for example, bounded blending--were required for adequate modeling of *shikki* shapes. A blending operation generates a smooth transition between two given surfaces. Blending operations for FRep were formulated in [9] for all set operations (union, intersection, difference) between two solids. However, this formulation of blending suffers from the resulting surfaces being offset (expanded or contracted) everywhere in the space. This is not acceptable in modeling lacquer ware shapes, because blending should not affect original surfaces outside the specified area of influence. To satisfy this requirement, we proposed and implemented a bounded blending operation, illustrated in Fig. 12. A sake pot is shown in Fig. 12a with the circle showing the region of bounded blending. Fig. 12b shows the union of the initial pot spout and the ellipsoidal shape (the left bottom part of the pot body) which are to be blended. The cylindrical bounding solid is shown in Fig. 12c. The blended shape resulting from the bounded blending operation should completely reside inside this solid. The resulting blend satisfying this requirement is shown in Fig. 12d.

The implementation of the three first stages of the project, namely modeling shapes, digitizing textures, and presentation of virtual objects, includes the following:

- 1) Creation of several 3D computer models of traditional Japanese lacquer ware items. The basic modeling tool was HyperFun language [2, 8].
- 2) Generation of polygonal models using HyperFun Polygonizer [8] and export to VRML (Virtual Reality Modeling Language) format.
- 3) Decimation of polygonal shapes using different software tools to produce VRML models as small as possible in size.
- 4) Scanning of color textures directly from lacquer ware objects with planar surfaces and from photographs.
- 5) Texturing of polygonal models using traditional tools like 3D Studio Max.
- 6) Generation of images and creation of the website [12]. Each image at the website is hyperlinked to the corresponding HyperFun model and VRML model, which can be downloaded and visualized using any VRML viewer such as the CosmoPlayer. See an example of the sake set VRML model in Fig. 13.

The average size of a VRML file is 100-500 Kb. However, the size of the sake set file (Fig. 13) is 4.5 Mb. On the other hand, no HyperFun models for any lacquer ware item exceeded 5 Kb. Thus we can conclude that HyperFun provides a high level of compression and should be considered as a lightweight network protocol in the

future.

We found that VRML files are too memory expensive, especially in the case of complex shapes and sets. Other and more compact Web3D formats should be considered in the future. A more radical solution would be to transfer small HyperFun models to the user's computer and provide a browser able to unfold a polygonal or other representation suitable for interactive visualization.

Modeling specific shapes required a large amount of routine labor in measuring control points and fitting model parameters. Semi-automatic methods should be introduced based on 3D scanning of real objects for acquisition of control points and non-linear optimization for automatic fitting of parameters.

CONCLUSION

While the approach proposed here seems labor-intensive, it has several distinct advantages over methods based on automatic surface scanning and almost-automatic polygonal mesh generation. The purpose of a particular project should determine which method to use. If only a visualization animation from a distant viewpoint is needed, then polygonal mesh or other BRep models can be satisfactory. However, even a virtual walkthrough allowing close inspection of the object requires more accurate and detailed modeling. Constructive modeling helps to reveal knowledge about a shape's logical macrostructure. The representation of three-dimensional surface microstructure (bumps, cracks, roughness) is also out of the range of BRep abilities, but it is possible to model it using FRep.

Perhaps the most important advantage of the FRep geometric protocol is its open and simple textual format, making it highly suitable for long-term digital preservation and for the exchange of models among systems and people. FRep's major disadvantage, its labor-intensive nature, can be reduced gradually by introducing semi-automatic methods based on 3D scanning of real objects with acquisition of control points and non-linear optimization for automatic fitting of the parameters of the constructive objects. Automation of the logical structure extraction will be investigated in our future work.

REFERENCES

1. A. Addison, "Emerging trends in virtual heritage", *IEEE Multimedia, Special Issue on Virtual Heritage*, vol. 7, No. 2, 2000, pp. 22-25.
2. V. Adzhiev, R. Cartwright, E. Fausett, A. Ossipov, A. Pasko, V. Savchenko, "HyperFun project: a framework for collaborative multidimensional FRep modeling", *Implicit Surfaces '99*, Eurographics/ACM SIGGRAPH Workshop (Universite Bordeaux 1, France, September 13-15 1999), J. Hughes and C. Schlick (Eds.), pp. 59-69.
3. Aizu History Project, URL: <http://www.cs.ucla.edu/~jmg/ah/menu.html>
4. Bandai Machi Kyouiku Iinkai (ed. and pub.), *Shiseki Enichiji Ato IX*, 1994.
5. J. Bloomenthal et al., *Introduction*

- to *Implicit Surfaces*, Morgan Kaufmann, 1997.
6. A. Brown, *The Genius of Japanese Carpentry*, Kodansha, 1989.
 7. C. Hoffmann, *Geometric and Solid Modeling. An Introduction*, Morgan Kaufmann, 1989.
 8. HyperFun Project: Language and Software for FRep Modeling, URL: <http://www.hyperfun.org>
 9. A. Pasko, V. Adzhiev, A. Sourin, V. Savchenko, "Function representation in geometric modeling: concepts, implementation and applications", *The Visual Computer*, vol.11, No.8, 1995, pp.429-446.
 10. A. Requicha, "Representations of rigid solids: theory, methods, and systems," *Computing Surveys*, Vol. 12, No. 4, 1980, pp. 437-465.
 11. C.W. Vilbrandt, J.M. Goodwin, and J.R. Goodwin, "Computer Models of Historical Sites: Szaedou - From the Aizu History Project", *Proceedings, 1999 EBTI, ECAI, SEER & PNC Joint Meeting* (Taipei: Academia Sinica), pp. 489-502.
 12. Virtual *Shikki*, URL: <http://www.k.hosei.ac.jp/~pasko/Shikki/Shikki.html>
- Art) from the San Francisco Art Institute in San Francisco, California, USA. He has a diverse background as an art therapist, manufacturing research engineer and professional artist, sculptor and 3D designer.
E-mail: vilb@u-aizu.ac.jp
- Alexander Pasko** is a professor at Hosei University in Japan. He received M.Sc. and Ph.D. degrees in computer science from Moscow Engineering Physics Institute (MEPI, Russia) in 1983 and 1988. He was a researcher at MEPI from 1983 to 1992 and an assistant professor at the University of Aizu (Japan) from 1993 to 1999. His research interests include solid and volume modeling, animation, multidimensional visualization, multimedia, and computer art.
E-mail: pasko@k.hosei.ac.jp
- Galina Pasko** is a visiting researcher at the IT Institute of Kanazawa Institute of Technology in Japan. She received her M.Sc. degree in computer science from Moscow Engineering Physics Institute (Russia) in 1983. Her research interests include cultural heritage preservation, digital archiving, and shape modeling.
E-mail: gip@tokyo.com
- Janet Goodwin**, director of the Aizu History Project, is former professor of cultural studies at the University of Aizu. Her Ph.D. and publications are in medieval Japanese history.
E-mail: jan@pollux.csustan.edu

ABOUT THE AUTHORS

Carl Vilbrandt is an associate professor in the Computer Arts Lab at the University of Aizu in Japan. He received his M.F.A. (Master of Fine

James M. Goodwin is a visiting professor in the UCLA Computer Science Department. He is a former professor of computer science at the University of Aizu and professor emeritus of physics at California State

University, Stanislaus. His Ph.D. is in
 physics.
 E-mail: *jmg@cs.ucla.edu*




Figure 12: Bounded blending operation: a) sake pot with the region of blending circled; b) initial pot shape without blending; c) pot and cylindrical bounding solid; d) resulting pot shape with bounded blending.




Figure 13: VRML model of the sake set examined using the CosmoPlayer software.